

Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy

Patient Profile

MVP members 18–75 years of age with Diabetes (Type 1 and Type 2) and who have had a nephropathy screening or monitoring test, OR evidence of nephropathy documented in the medical record annually.

This includes documentation of one of the following each year:

- A nephropathy screening or monitoring test for Medicare Members (any urine test for albumin or protein).
- Evidence of treatment for nephropathy or ACE/ARB therapy.
- Documentation of medical attention for diabetic nephropathy, renal insufficiency, proteinuria, albuminuria, renal dysfunction, chronic kidney disease (CKD) or acute renal failure (ARF).
- A visit with a Nephrologist.
- Evidence of chronic renal failure (CRF), end stage renal disease (ESRD), dialysis either hemodialysis or peritoneal, or a kidney transplant.
- **Effective 2020:** In addition to microalbumin, it is recommended that members have a glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR) during the measurement year.

Exclusions

Exclude members who during the measurement year meet any of the following:

- Taking dementia medications such as Donepezil, Galantamine, Rivastigmine, and Memantine.
- Evidence of Hospice-Care/Services.
- Members who are 66 years old and older as of 12/31 who are enrolled in an institutional SNP or living long-term in an institution.
- Members age 66 or older with frailty and advanced illness.
- Members who do not have a diagnosis of diabetes or has gestational or steroid induced diabetes.



How to Implement Best Practices and Improve Performance

- A current medication list in the chart indicating that a patient is on an ACE/ARB agent will satisfy the requirement for medical attention to nephropathy.
- A urine dipstick (for protein) provided annually in your office will also satisfy this requirement. Be sure to submit a claim for it.
- Coordinate an exchange of information with specialists such as Nephrologists and Endocrinologists. Engage providers out of the area that may care for patients at a seasonal location.
- Consult the *MVP Gaps in Care Report (GIC)* for a list of delinquent CDC-Nephropathy members.
- Enable electronic medical record alerts for staff to prevent delinquent testing, reports, and visits.
- Consider the use and maintenance of a Diabetes Flowchart for efficient Nephropathy tracking.
- Exchange laboratory data with your local Regional Health Information Organization (RHIO).
- A visit with a Nephrologist regardless of diagnosis or procedure will close this gap in care as a pass.

Information related to all 2020 HEDIS measures has been extracted from the NCQA 2020 HEDIS Technical Specifications Volume 2.

A claim for any of the following medications will satisfy the medical attention for nephropathy requirement. For information on medications covered by MVP, see the *MVP Medicaid Drug Formulary* available by visiting mvphealthcare.com and selecting *Providers*, then *Pharmacy*, then *MVP Formularies*.

ACE Inhibitor/ARB Medications

Visit ncqa.org for a comprehensive list of ACE Inhibitor/ARB Medications.

Angiotensin Converting Enzyme Inhibitors	Benazepril Moexipril	Captopril Perinfopril	Enalapril Quinapril	Fosinopril Ramipril	Lisinopril Trandolapril
Angiotensin II Inhibitors	Azilsartan Olmesartan	Candesartan Telmisartan	Eprosaran Valsartan	Irbesartan	Losartan
Antihypertensive Combinations	Amlodipine-benazepril Amlodipine-hydrochlorothiazide-olmesartan Amlodipine-hydrochlorothiazide-valsartan Amlodipine-olmesartan Amlodipine-perindopril Amlodipine-telmisartan Amlodipine-valsartan Azilsartan-chlorthalidone Benazepril-hydrochlorothiazide Candesartan-hydrochlorothiazide Captopril-hydrochlorothiazide Enalapril-hydrochlorothiazide		Fosinopril-hydrochlorothiazide Hydrochlorothiazide-irbesartan Hydrochlorothiazide-lisinopril Hydrochlorothiazide-losartan Hydrochlorothiazide-moexipril Hydrochlorothiazide-olmesartan Hydrochlorothiazide-quinapril Hydrochlorothiazide-telmisartan Hydrochlorothiazide-valsartan Nebivolol-valsartan Sacubitril-valsartan Trandolapril-verapamil		

Use of drugs listed here will score the sub-measure as compliant. Remember to reference the MVP Formulary to learn which of these medications are covered by the member's plan.

2020 Coding for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy

Codes for CDC-MAN	Use of these codes will make the member a pass for CDC-MAN
Acute Inpatient with Diagnosis of Diabetes and without Telehealth	CPT: 99221-99223, 99231-99233, 99238-99239, 99251-99255, 99291
Bilateral Modifier	CPT: 50
CKD Stage 4	ICD-10 CM: N18.4
Diabetes	ICD-10 CM: Multiple codes in E10.10 through O24.83 code values.
Diabetes Mellitus Without Complications	ICD-10 CM: E10.9, E11.9, E13.9
Dialysis Procedure	CPT: 90935, 90937, 90945, 90947, 90997, 90999, 99512
	HCPCS: G0257, S9339
	ICD-10 PCS: 3E1M39Z, 5A1D00Z, 5A1D60Z, 5A1D70Z, 5A1D80Z, 5A1D90Z
ED	CPT: 99281-99285
	UB Rev: 0450-0452, 0456, 0459, 0981
ESRD Diagnosis	ICD-10 CM: N18.5, N18.6, Z99.2
Inpatient Stay	UB Rev: 0164, 0167, 0179, 0219, 0100-1, 0110-14, 0116-24, 0126-34, 0136-44, 0146-54, 0156-60, 0169-74, 0190-94, 0199-0204, 0206-14, 1000-2
Kidney Transplant	CPT: 50360, 50365, 50380
	HCPCS: S2065
	ICD-10 PCS: 0TY00Z0-0TY00Z2, 0TY10Z0-0TY10Z2

2020 Coding for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy (continued)	
Codes for CDC-MAN	Use of these codes will make the member a pass for CDC-MAN
Nephrectomy	CPT: 50340, 50370
	ICD-10 PCS: 0TB00ZX, 0TB00ZZ, 0TB03ZX, 0TB03ZZ, 0TB04ZX, 0TB04ZZ, 0TB07ZX, 0TB07ZZ, 0TB08ZX, 0TB08ZZ, 0TB10ZX, 0TB10ZZ, 0TB13ZX, 0TB13ZZ, 0TB14ZX, 0TB14ZZ, 0TB17ZX, 0TB17ZZ, 0TB18ZX, 0TB18ZZ
Nephropathy Treatment	CPT-CAT-II: 3066F, 4010F
	ICD-10 CM: E08.21, E08.22, E08.29, E09.21, E09.22, E09.29, E10.21, E10.22, E10.29, E11.21, E11.22, E11.29, E13.21, E13.22, E13.29, I12.0, I12.9, I13.0, I13.10, I13.11, I13.2, I15.0, I15.1, N00.0, N00.1, N00.2, N00.3, N00.4, N00.5, N00.6, N00.7, N00.8, N00.9, N01.0, N01.1, N01.2, N01.3, N01.4, N01.5, N01.6, N01.7, N01.8, N01.9, N02.0, N02.1, N02.2, N02.3, N02.4, N02.5, N02.6, N02.7, N02.8, N02.9, N03.0, N03.1, N03.2, N03.3, N03.4, N03.5, N03.6, N03.7, N03.8, N03.9, N04.0, N04.1, N04.2, N04.3, N04.4, N04.5, N04.6, N04.7, N04.8, N04.9, N05.0, N05.1, N05.2, N05.3, N05.4, N05.5, N05.6, N05.7, N05.8, N05.9, N06.0, N06.1, N06.2, N06.3, N06.4, N06.5, N06.6, N06.7, N06.8, N06.9, N07.0, N07.1, N07.2, N07.3, N07.4, N07.5, N07.6, N07.7, N07.8, N07.9, N08, N14.0, N14.1, N14.2, N14.3, N14.4, N17.0, N17.1, N17.2, N17.8, N17.9, N18.1, N18.2, N18.3, N18.4, N18.5, N18.6, N18.9, N19, N25.0, N25.1, N25.81, N25.89, N25.9, N26.1, N26.2, N26.9, Q60.0, Q60.1, Q60.2, Q60.3, Q60.4, Q60.5, Q60.6, Q61.00, Q61.01, Q61.02, Q61.11, Q61.19, Q61.2, Q61.3, Q61.4, Q61.5, Q61.8, Q61.9, R80.0, R80.1, R80.2, R80.3, R80.8, R80.9
Nonacute Inpatient	CPT: 99304-99310, 99315-99316, 99318, 99324-99328, 99334-99337
	UB Rev: 0118, 0128, 0138, 0148, 0158, 0190-0194, 0199, 0524-0525, 0550-0552, 0559-0663, 0669
Observation	CPT: 99217-99220
Online Assessment	CPT: 98969, 99444
Outpatient	CPT: 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411-99412, 99420, 99429, 99455-99456, 99483
	HCPCS: G0402, G0438-G0439, G0463, T1015
	UB Rev: 0510-0517, 0519-0523, 0526-0529, 0982-0983
Telehealth Modifier	CPT Modifier: 95, GT
Telehealth POS	POS: 02
Phone Visit	CPT: 98966, 98967, 98968, 994441-99443,
Urine Protein Tests	CPT: 81000-81003, 81005, 82042-82044, 84156
	CPT-CAT-II: 3060F-3062F
	LOINC: 11218-5, 12842-1, 13705-9, 13801-6, 13986-5, 13932-3, 14956-7, 14957-5, 14958-3, 14959-1, 1753-3, 1754-1, 1755-8, 1757-4, 17819-4. To name a few of the LOINC codes.
Exclusion from CDC: MAN	Use of these codes will exclude member from CDC-MAN
Acute Inpatient if Diagnosed with Advanced Illness	CPT: 99221-99223, 99231-99233, 99238-99239, 99251-99255, 99291
Advanced Illness	Over 1700 Codes Ranging From:
	ICD-10: A81.00, A81.01, A81.09, C25.0-C25.4, C25.7-C25.9, C71.1-C71.9, C77.0-C77.5, C77.8, C77.9, C78.00-C78.02, C78.1, C78.2, C78.30, C78.39, C78.5-C78.7, C78.80, C78.89, C79.00-C79.19, C79.2, C79.31, C79.32, C79.40, C79.49, C79.51, C79.60, C79.70, C79.81, C79.9, C91.00-C91.02, C92.00, C93.00-C94.32, f01.50-F10.97, G10-G31.83, I.09.81-I50.9, J43.0-98.3, K70.10-K74.69, L89.000-89.96, N18.5, N18.6

2020 Coding for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy (continued)	
Exclusion from CDC: MAN	Use of these codes will exclude member from CDC-MAN
Dementia	ICD-10 CM: F01.50-F01.51, F02.80-F02.81, F03.90-F03.91, F04, F10.27, F10.97, F13.27, F13.97, F18.17, F18.27, F18.97, F19.17, F19.27, F19.97, G30.0-G30.1, G30.8-G30.9, G31.83
Diabetes Exclusions	Over 200 Codes Ranging From: ICD-10 CM: E08.00-E08.9, E09.01-E09.9, O24.410-024.93
Frailty Device	HCPCS: E0100, E0105, E0130, E0135, E0140-E0141, E0143-E0144, E0147-E0149, E0163, E0165, E0167-E0168, E0170-E0171, E0250-E0251, E0255-E0256, E0260-E0261, E0265-E0266, E0270, E0290-E0297, E0301-E0304, E0424-E0425, E0430-E0431, E0433-E0435, E0439-E0444, E0462, E0465-E0466, E0470-E0472, E0561-E0562, E1130, E1140, E1150, E1160-E1161, E1240, E1250, E1260, E1270, E1280, E1285, E1290, E1295-E1298
Frailty Diagnosis	ICD-10 CM: L89.119, L89.139, L89.149, L89.159, L89.209, L89.309, L89.899, L89.90, M62.50, M62.81, M62.84, W01.0XXA, W01.0XXD, W01.0XXS, W01.10XA, W01.10XD, W01.10XS, W01.110A, W01.110D, W01.110S, W01.111A, W01.111D, W01.111S, W01.118A, W01.118D, W01.118S, W01.119A, W01.119D, W01.119S, W01.190A, W01.190D, W01.190S, W01.198A, W01.198D, W01.198S, W06.XXXA, W06.XXXD, W06.XXXS, W07.XXXA, W07.XXXD, W07.XXXS, W08.XXXA, W08.XXXD, W08.XXXS, W10.0XXA, W10.0XXD, W10.0XXS, W10.1XXA, W10.1XXD, W10.1XXS, W10.2XXA, W10.2XXD, W10.2XXS, W10.8XXA, W10.8XXD, W10.8XXS, W10.9XXA, W10.9XXD, W10.9XXS, W18.00XA, W18.00XD, W18.00XS, W18.02XA, W18.02XD, W18.02XS, W18.09XA, W18.09XD, W18.09XS, W18.11XA, W18.11XD, W18.11XS, W18.12XA, W18.12XD, W18.12XS, W18.2XXA, W18.2XXD, W18.2XXS, W18.30XA, W18.30XD, W18.30XS, W18.31XA, W18.31XD, W18.31XS, W18.39XA, W18.39XD, W18.39XS, W19.XXXA, W19.XXXD, W19.XXXS, Y92.199, Z59.3, Z73.6, Z74.01, Z74.09, Z74.1-3, Z74.8-9, Z91.81, Z99.11, Z99.3, Z99.81, Z99.89
Frailty Encounter	CPT: 99504, 99509 HCPCS: G0162, G0299, G0300, G0493, G0494, S0271, S0311, S9123, S9124, T1000-5, T1019-22, T1030-31
Frailty Symptom	ICD-10 CM: R26.0-R26.2, R26.89, R26.9, R41.81, R53.1, R53.81, R53.83, R54, R62.7, R63.4, R63.6, R64
Hospice Encounter	HCPCS: G9474-79, Q5003-8, Q5010, S9126, T2042-46 UB Rev: 0115, 0125, 0135, 0145, 0155, 0235, 0650-52, 0655-59
Hospice Intervention	CPT: 99377-78 HCPCS: G08182
Nonacute Inpatient Stay	UB Rev: 0022, 0024, 0118, 0128, 0138, 0148, 0158, 0190-0194, 0199, 0524-0525, 0550-0552, 0559, 0660-0663, 0669, 1000-1002 UBTOB: 0650, 0660, 0667, 0668, 0860, 0180-5, 0187-8, 018F-K, 018M, 018O, 018X, 018Y-Z, 0210-5, 0217-8, 021F-K, 021M, 021O, 021X-Z, 0220-5, 0227-8, 022F-K, 022M, 022O, 022X-Z, 0280-5, 0287-9, 028F-K, 028M, 028O, 028X-Z, 0652-5, 0657-8, 065F-K, 065M, 065O, 065X-Z, 0662-5, 066F-K, 066M, 066O, 066X-Z, 0862-5, 0867-8, 086F-K, 086M, 086O, 086X-Z